

The World's Leading UST and AST Containment Leak Repair Products







Spill Containment, Tank, Transition, and Dispenser Sumps for UST & AST Systems...


Watertight covers and sump lids for surface water leaks (See pg. 2-3)

Bonders for sump cracks, holes, and seam leak repairs (See pg. 6)

SplitRepair fittings for leaky fittings of all types (See pg. 4-5)

Instant water blocking for active water intrusion (See pg. 7)

Corrosion prevention for STP sumps (See pg. 7)



Leak problems solved!







- Truly watertight, structurally advanced design
- All non-corrosive & non-conductive materials
- Best in class anti-slip & anti-skid surface
- EN124-D400-C250-H20 load ratings compliant





- Industry first 15-year warranty
- 42", 36", 30", & 24" round sizes
- Extremely low-maintenance
- Easy installation and removal







© 2016 ICON





- Easy replacement of exisiting lid, bonded to sump top
- Low-profile, watertight design fits into limited spaces
- Simple Cam-Lock seal and release with a vertical lift
- Strong fiberglass design and lightweight for easy removal
- Replaces lids in sizes from 24" to 36" and larger










SplitRepair Fittings



- Compatible standard and custom fitting designs for repair of any combination of existing fittings, pipe, and sumps, including those with angled, offset, and proximity issues
- UL Listed materials and application, compatible with all fuels
- No disconnection of sump entry pipe or excavation required





4








SplitRigid Fittings

- Permanantly bonded to FRP, HDPE, concrete, and steel sumps; curved or flat wall surface
- Dispensed bonder with split, rigid fitting components require no pipe disconnection
- Innovative design for a more simple and clean installation process
- Easier, faster, and lower-cost installation than the competing product
- All fuels compatible; extensively tested UL Listed materials with Lifetime Warranty



SplitRepair Test Fittings & Secondary Line Testing Kits

- Pre-assembled and ready for use
- Standard kits and **custom** configurations available
- Cost competitive, high quality, durable materials
- SplitRepair test fittings for all pipe mfr. and sizes
- Install and start testing in 60 minutes









iBond Structural Bonder




con

ontainment Solution

 Permanant bonding to FRP, concrete, and steel surfaces

- Dispensed, not hand-mixed, for easier and cleaner placement
 - Completely cures in as little as 15 minutes, and ready for testing
 - All fuels compatible
 - Consider repair before expensive sump replacement

PolyFuse Structural Bonder



- Permanent bonding to HDPE surfaces
- Dispensed, not hand-mixed, for easier and cleaner placement
- Excellent for repair of minor crack, seam leak, and damage to poly sumps and spill containment
 - Direct technical support and training available for all applications
 - Sufficiently cured for testing in as little as 6 hours, depending upon conditions

6









FastFoam and WetWeld Instant Water Blocking



- Stops active water leaks in seconds for a temporary block that allows for a permanent repair to be made
- Applied from inside the sump directly into the leak
- May eliminate the need to pump down the water table
- Inexpensive spot treatment

VHEliminator and PetrolSeal Corrosion Prevention

- Protects and seals STP and other metal components from premature and costly corrosion
- Low-cost and simple solutions with long-term effectiveness
- The combination of vapor eliminating absorbant and sealant extends the life of your expensive equipment



