

The World's Leading UST and AST Containment Leak Repair Products







Highly effective and lasting solutions for spill containment, tank, transition, and dispenser sump leaks in UST / AST systems.

Watertight covers and sump lids for surface water leaks (See pg. 3)

SplitRepair fittings for leaking fittings of all types (See pg. 4-6)



Structural repair for sump cracks, holes, and seam leaks (See pg. 6-7)

Instant water blocking for active water intrusion (See pg. 8)

Corrosion prevention for STP and other equipment (See pg. 8)







































- Low-profile, truly watertight design fits into limited space
- Bonded attachment to any existing sump top
- Works for all manufactured sumps in poly or fiberglass
- Cam-Lock lid-attachment for easy removal and sure seal
- Strong and lightweight fiberglass design
- Replaces lids in sizes from 24" to 36" and larger
- Covered under a 5-year warranty!











SplitRepair Compression Fittings





Icon ProTex material (non-urethane), flexible design compression seal fittings will last through the end-life of the sump!

- UL Listed materials and application, compatible with all fuels
- Effective on all manufactured designs of sump entry fitting, pipe, and sump combinations
- No disconnection of sump entry pipe or excavation required generally












SplitRepair Bonded Fittings







- Dispensed bonders with split, rigid fitting components require no pipe disconnection
- Innovative design for easier bonding and a more simple and clean installation
- Overall, much easier, faster, and lower-cost installation than our competitors
- All fuels compatible; third-party tested materials
- Material warranty through the end life of the sump!















SplitRepair Test Fittings & Secondary Line Testing Kits



- Pre-assembled and ready for use
- Standard kits and custom configurations available
- Cost competitive, high quality, durable materials
- SplitRepair test fittings for all pipe mfr. and sizes
- Install and start testing in 60 minutes

FastFix Patch





- 15 minute, UV-cured fiberglass patch kit
- Permanent repair over holes, leaks, or other damage



Easy peel and stick application







Consistent quality and thickness





















 Dispensed, not hand-mixed, for easier and cleaner placement











PolyFuse Structural Bonder



- Permanent bonding to HDPE surfaces
- Dispensed, not hand-mixed, for easier and cleaner placement



 Excellent for repair of minor crack, seam leak, and damage to poly sumps and spill containment





 Sufficiently cured for testing in as little as 6 hours, depending upon conditions





FastFoam & WetWeld Instant Water Blocking



- Stops active water leaks in seconds for a temporary block that allows for a permanent repair to be made
 - Applied from inside the sump directly into the leak
 - May eliminate the need to pump down the water table
 - Inexpensive spot treatment

PetrolSeal Corrosion Preventing Sealant



- Protects and seals STP and other metal components from premature and costly corrosion
 - Low-cost and simple solution with long-term effectiveness
 - Extend the life of your expensive sump equipment